
|--|

480RGB x 272

4.3" Diagonal

16.7M Colors

Part Number	9912DPTL043H-04
Overall Dimensions	105.5 (H) x 67.2 (V) x 4.0(T)mm
Active Area	95.04 (H) x 53.86 (V) mm
Resolution	480 RGB (H) x 272 (V) Stripe
Pixel Size	0.198 x 0.198mm
Display Colors	16.7M
Display Mode	TN, Normally White, Transmissive
LCD Type	a-Si TFT
Contrast Ratio	350:1 (Тур)
Viewing Angles (CR≥10)	Typ 65%65%60%65° (Left/Right/Top/Bottom)
	Min 60 % 60 % 55 % 60 ° (Left/Right/Top/Bottom)
View Direction	12 o'clock
Grayscale inversion Direction	6 O'clock
Brightness (If=18mA)	200cd/m² (Min)
NTSC	45%
Driver IC	NV3047
VDD(Digital circuit)	3.0~3.6V
VCI (pump circuit)	3.0~3.6V
Power consumption	18.0mA (typ) @ VDD=3.3V, VCI=3.3V
Interface	RGB 24 Bits
Backlight System	7 White LEDs in Serial
Forward Voltage	22.4V(Typ)
Forward Current	18 mA (Typ)



The information contained herein is based upon typical data, New Vision Display makes no warranties expressed or implied as to its accuracy and assumes no liability arising out of its use by others. The user should determine suitability of New Vision Displays for each individual application.

Display